



Extra file 5+6










2-benzhydryloxy-N,N-dimethylethanamine;hydrochloride

استعمال: مضاد
للهيستامين، مكن
ومضاد للسعال و للقيء
ولضعف الحركة ومضاد
كولينرجي

Diphenhydramine
hydrochloride


8-chlorotheophyllinate salt
diphenhydramine



استعمال: لمنع دوار
السفر


butanedioic acid;N,N-dimethyl-2-(1-phenyl-1-pyridin-2-ylethoxy)ethanamine

butanedioic = Succinate




2-enedioic acid;2-[(4-chlorophenyl)-pyridin-2-yl methoxy]-N,N-dimethylethanamine


enedioic = Maleate




2-enedioic acid; -2-[2-[1-(4-chlorophenyl)-1-phenylethoxy]ethyl]-1-methylpyrrolidine




4-benzhydryloxy-1-methylpiperidine




مشتقات الاليتين دي أمين




N'-benzyl-N,N-dimethyl-N'-pyridin-2-ylethane-1,2-diamine



2-enedioic acid;N'-[(4-methoxyphenyl)methyl]-N,N-dimethyl-
N'-pyridin-2-ylethane-1,2-diamine




N,N-dimethyl-N'-pyridin-2-yl-N'-(thiophen-2-yl
methyl)ethane-1,2-diamine




يملك تأثير مسرطن كامن

N'-[(4-methoxyphenyl)methyl]-N,N-dimethyl-N'-pyrimidin-2-yl ethane-1,2-diamine




N-benzyl-N-(4,5-dihydro-1H-imidazol-2-ylmethyl)aniline;phosphoric acid




مشتقات البييرازين



1-benzhydryl-4-methylpiperazine;hydrochloride





1-[(4-chlorophenyl)-phenylmethyl]-4-
methylpiperazine;hydrochloride



يستخدم في الشرى
وحمى الكلا

Chlorcyclizine Hydrochloride

1-[(4-chlorophenyl)-phenylmethyl]-4-
[(3-methylphenyl)methyl]piperazine




Meclizine

مضاد الهيستامين ومضاد غثيان
في وقاية ومعالجة دوار
السفرو في معالجة الغثيان
والإقياء المرتبط بالدوار
والأمراض الإشعاعية

مشتقات البروبيلين أمين




enedioic acid;N,N-dimethyl-3-phenyl-3-pyridin-2-ylpropan-1-amine



Pheniramine maleate


2-enedioic acid;3-(4-chlorophenyl)-N,N-dimethyl-3-pyridin-2-ylpropan-1-amine



Chlorpheniramine Maleate


إدخال جذر كلور في
الموضع بارا من حلقة الفينيل
يزيد الفعالية 10 مرات

2-enedioic acid, 3-(4-bromophenyl)-N,N-dimethyl-3-pyridin-2-ylpropan-1-amine




Brompheniramine Maleate

1-[4-(4-chlorophenyl)-3-phenylbut-2-enyl]pyrrolidine




Pyrrobutamine Phosphate

2-[1-(4-methylphenyl)-3-pyrrolidin-1-ylprop-1-enyl]pyridine;hydrochloride




Triprolidine Hydrochloride

2-methyl-9-phenyl-1,3,4,9-tetrahydroindeno pyridine
Tartrate



Phenindamine Tartrate

2-enedioic acid;N,N-dimethyl-2-[3-(1-pyridin-2-ylethyl) inden-2-yl]ethanamine




Dimethindene Maleate

مشتقات الفينو تيازينات




N,N-dimethyl-1-phenothiazin-10-ylpropan-2-amine;hydrochloride



Promethazine hydrochloride

2,3-dihydroxybutanedioic acid;N,N,2-trimethyl-3-
phenothiazin-10-ylpropan-1-amine



10-[(1-methylpyrrolidin-3-yl)methyl]phenothiazine

